



King's Research Portal

Document Version
Peer reviewed version

[Link to publication record in King's Research Portal](#)

Citation for published version (APA):

Gardner, B., Alfrey, K-L., Vandelanotte, C., & Rebar, A. L. (Accepted/In press). Mental health and wellbeing concerns of fly-in, fly-out workers and their partners in Australia: A qualitative study. *BMJ Open*.

Citing this paper

Please note that where the full-text provided on King's Research Portal is the Author Accepted Manuscript or Post-Print version this may differ from the final Published version. If citing, it is advised that you check and use the publisher's definitive version for pagination, volume/issue, and date of publication details. And where the final published version is provided on the Research Portal, if citing you are again advised to check the publisher's website for any subsequent corrections.

General rights

Copyright and moral rights for the publications made accessible in the Research Portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognize and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the Research Portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the Research Portal

Take down policy

If you believe that this document breaches copyright please contact librarypure@kcl.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.

Running Head: Fly-In Fly-Out Lifestyle

*This is an author's pre-print of a manuscript accepted
on 26th January 2018 for publication in BMJ Open*

**Mental health and wellbeing concerns of fly-in, fly-out workers and their partners: A
qualitative study**

Benjamin Gardner*, * Kristie-Lee Alfrey*, * Corneel Vandelanotte, Amanda L Rebar

Department of Psychology, Institute of Psychiatry, Psychology, and Neuroscience, King's
College, AH 2.11, Addison House, Guy's Campus, London, SE1 1UL,
Benjamin Gardner, senior lecturer

School of Health, Medical and Applied Sciences, Central Queensland University, Bruce
Highway, Rockhampton, Australia, 4702,
Kristie-Lee Alfrey, research student
Corneel Vandelanotte, professor
Amanda L Rebar, senior lecturer

Correspondence to: AL Rebar a.rebar@cqu.edu.au

* These authors made an equal contribution to this paper (joint first-authorship), and are listed
in randomly-assigned order

Abstract

Objectives: Fly-in, fly-out (FIFO) work involves commuting long distances to the worksite, and living in provided accommodation for 1-4 weeks while on-shift. While the potentially detrimental impact of FIFO work on the health and wellbeing of workers has been documented, little attention has been paid to how workers, or their partners, cope with this impact. This study sought to investigate how workers and their partners negotiate the impact of FIFO on their mental health and wellbeing. **Methods:** Thirty-four FIFO workers (25 men, *M* age = 41 years) and twenty-six partners of FIFO workers (26 women, *M* age = 40 years) completed a set of open-ended questions about their concerns about the FIFO lifestyle, and the support they use. **Results:** Participant-validated thematic analysis generated three main themes: managing multiple roles, impact on mental health and wellbeing, and social support needs. Results revealed difficulties in adjusting between the responsibilities of perceptually distinct on- and off-shift lives, and managing potential psychological distance that develops while workers are on-site. Participants emphasised the importance of maintaining quality communication and support from family members. Workers and partners attempted to maintain mental health and wellbeing by regularly engaging with support networks, though many felt organisational support was tokenistic, stigmatised, or lacking. **Conclusions:** Recommendations for enhancing support provided by FIFO organisations are offered. In particular, organisations should emphasise the importance of good mental health and wellbeing, maintain transparency regarding potential challenges of FIFO lifestyles, and offer professional support for managing multiple social roles and effective communication.

Keywords: health; wellbeing; long-distance commuting; shift-work; relationship communication

Article Summary

Strengths and Limitations of the Study

- This is the first study to our knowledge to have explored the impact of long-distance commuting on both FIFO workers and partners.
- Study participants were situated across Australia, including those at FIFO sites.
- We collected data via questions probing domains that we deemed to be important to FIFO workers and their partners. These questions may have neglected other relevant areas of the FIFO experience relevant to health and wellbeing.
- While our participants cited various adverse impacts of FIFO work on their health and wellbeing, we cannot identify the mechanisms underlying such impact.
- This study highlighted the mental health and wellbeing concerns raised by FIFO workers and their partners, and the strategies they used to address these concerns, while pointing to areas in which further support may be needed.

Mental health and wellbeing concerns of fly-in, fly-out workers and their partners: A qualitative study

With unique work shifts come unique lifestyle situations. *Fly-In Fly-Out (FIFO)*; also known as Drive-In Drive-Out; DIDO) work involves employees travelling long distances to the worksite, living in provided accommodation during their on-shift roster, and travelling home between shifts [1]. FIFO workers commonly have schedules of twelve-hour shifts for 1-4 consecutive weeks [2]. Also termed long-distance commuting, FIFO work is becoming increasingly prevalent in Australia, mostly as a result of the mining industry boom of the last 15 years, though it is also common in the construction and resource sectors [3]. Although FIFO work is still relatively rare, in some Western Australian and Queensland communities as many as one-in-six people are employed in FIFO positions [1,4]. Concerns have been raised around the health and wellbeing impact of FIFO work [5,6], but evidence around the impact on mental health and wellbeing of workers and their partners is in its infancy.

Most FIFO workers are young or middle-aged men, a demographic already particularly prone to mental health problems and at increased risk for suicide [4]. Industry reports have suggested that there are few disadvantages to FIFO life other than potential inconvenience of prolonged work shifts, and that there are many mental health benefits including being a part of a challenging work environment, and unique opportunities to meet new people, see new places, and earn a high income [5,7,8]. However, research suggests that FIFO work has both costs and benefits for mental health and wellbeing. For example, Torkington, Larkins and Sen Gupta [9] interviewed 11 FIFO workers about their psychosocial wellbeing and perceived support. Some found their job rewarding and enjoyed interactions with colleagues, but others experienced loneliness, fatigue, and problems in balancing time away for work with social and family time. Other research has suggested that, among workers with long shifts and low autonomy over their shift schedules, FIFO work can have negative

repercussions for both work and home life [10]. Such problems may be compounded by a failure to access support; relative to non-FIFO workers, FIFO workers have also been found to be less likely to report or seek help for mental health concerns [11].

FIFO work may also impact on the wellbeing of workers' significant others. Most research on the impact of FIFO work on mental health or wellbeing has centred on workers' children. While one study [13] found no differences between FIFO families and non-FIFO families in relationship quality, parenting competence or child emotional and behavioral difficulties, another [12] showed that adolescent children's depressive symptoms and emotional and behavioral difficulties could be partially attributed to the intermittent parental absence that characterises FIFO employment. While these findings suggest that the extent of impact of FIFO work on mental health may vary depending on the people involved and the home and work contexts, they nonetheless point to the potential for FIFO work to impact on family members.

Kaczmarek and Sibbel [14] found that the wellbeing of FIFO workers' primary school aged children did not significantly differ from that of similar families with a parent in the military or from the general community. Yet, partners of the FIFO workers in this study reported more problems with communication, support, and behavior control within the family than did families from the military or the general community. Quantitative survey findings from Israel and the United States suggests that FIFO work can have a modest negative impact on couples' relationship satisfaction [add cite]. A case study in Canada found that FIFO couples can face numerous challenges including transitioning between on-shift and off-shift roles and parenting [add cite].

A study of people who had committed suicide compared Australian miners (of whom many were FIFO workers) to non-miners, and found that the miners were significantly more likely to have experienced relationship problems [15]. This demonstrates the potential

interdependence of the mental health and wellbeing of FIFO workers and their partners, and the complex and dynamic impact of FIFO work on workers and others.

The unique lifestyle circumstances imposed by FIFO work have been associated with potential mental health risks. Yet, little evidence exists regarding how best to support FIFO workers and partners to navigate the complexities of FIFO life. Some evidence suggests that family cohesion, connectedness, flexibility, and meaningful communication are important factors for buffering from potential negative effects of FIFO life on wellbeing [16,17].

Quality family time, routines, social support networks and clear set boundaries also aid in the adjustment and management of the FIFO lifestyle [16]. However, beyond this general evidence about how families might cope with FIFO life, little has been documented regarding how workers and partners can manage FIFO work to maintain positive mental health and wellbeing.

The Present Study

The aim of this study was to develop understanding of how FIFO workers and their partners experience and negotiate the impact of FIFO work on their mental health and wellbeing. Understanding how workers and partners manage any negative consequences of the FIFO lifestyle may be informative for intervention purposes, because it may reveal useful coping strategies, while identifying areas in which support may be especially required.

Qualitative research methods were used to obtain a rich and in-depth insight into participants' experiences.

Methods

Participants

Study recruitment was conducted through FIFO-relevant online social media group pages and media outlets of regional Australian audiences (e.g., radio, television, newspapers, websites). Eligibility was not contingent on both partners of a couple being involved in the

study, making it possible that the partner of a FIFO worker may have participated despite the worker him or herself not doing so, and vice versa. In return for their involvement, participants were entered into a random draw for \$30 AUD (US\$24) gift vouchers, a value which we deemed to be motivating, but not coercive, for potential participants. No a priori sample size requirements were set.

The final dataset comprised 34 FIFO workers (25 men [79%], 9 women [21%], M age = 41y, SD = 11, age range = 25 – 65y) and 26 partners of FIFO workers (all women, M age = 40y, SD = 9, age range = 27 – 58y). The sample included 6 couples (i.e. 6 workers, 6 partners). The remaining 48 participants (28 FIFO workers, 20 partners) took part in the study without the involvement of their partners.

Procedures

Participants self-reported their age, sex and their (or their partner's) FIFO working patterns (e.g., roster length) through an online survey. They were also asked whether overall, they liked (their partner) being a FIFO worker or not (*yes/no*). Participants were then asked to respond to a set of questions about the FIFO lifestyle via email. We chose to collect data via email to gain access to FIFO workers and partners situated across Australia, including those at FIFO sites, with minimal inconvenience to participants. Additionally, the email-based survey may have allowed participants to feel less identifiable when responding about potentially stigmatizing mental health issues than is possible with face-to-face interviews.

The questions were developed for the purposes of this study and the full list of questions are available as Supplemental File 1. Example questions include “Are you concerned about how the FIFO lifestyle affects you?” and “Do you have suggestions on how support for FIFO workers and FIFO partners could be made better?” Although these were not open questions, participants were invited to provide free-text (rather than yes/no) responses, and all participants did so. The terms ‘mental health’ and ‘wellbeing’ did not feature in the

questions, to minimise potential self-presentational concerns inhibiting disclosure of relevant issues. All participants provided informed consent prior to participating in the study and all study procedures were approved a priori by the Central Queensland University Human Research Ethics Committee.

Analyses

Responses were analysed by one researcher using thematic analysis procedures [18], based on realist epistemological assumptions. The analyst was a UK-based social and health psychologist with expertise in qualitative analysis (BG), who has no personal links to FIFO, no history of research in this domain, and was unfamiliar with the FIFO research literature prior to and during the analysis. The analyst was recruited to the research team after data had been collected, to minimise the possibility that analysis would be influenced by our preconceptions of FIFO or experiences of data collection. Responses were read and reread, for familiarisation purposes. Line-by-line coding was undertaken to assign conceptual labels to pertinent excerpts. As coding progressed, an inductively-derived thematic framework was developed and iteratively refined to best reflect emergent insights. Themes were labelled in part using representative phrases (i.e. ‘in vivo’ codes) taken verbatim from the data, to demonstrate the veracity of the theme [19]. A second researcher (AR) inspected the final coding framework and analysis, and verified that the themes were coherent representations of the data. The final narrative was also verified, by two FIFO workers and three partners who participated in the study, as a valid conceptual analysis of the FIFO experience.

Data excerpts are quoted below as evidence of the validity of the analysis [20]. To aid clarity where necessary, punctuation was added, spelling mistakes corrected, and words added in brackets to clarify intended meaning.

Results

Sample Description

FIFO workers most commonly worked either day shifts (48%) or a mixture of day and night shifts (48%). Only one worker exclusively worked night shifts. Workers' rosters were between 4 and 29 workdays on-shift ($M = 15$, $SD = 8$), with between 2 and 21 days off-shift ($M = 8$, $SD = 4$). More than half (62%) of workers reported that, overall they liked being a FIFO worker. Partners reported that their partners mostly worked day shifts (62%), with some working a mixture of day and night shifts (35%), and one person working nightshifts. Partners reported their FIFO worker partners to work between 6 and 60 workdays on-shift ($M = 20$, $SD = 12$), with between 5 and 21 days off-shift ($M = 8$, $SD = 4$). More than half (64%) of FIFO partners reported that overall they did not like that their partner was a FIFO worker. On average, participants' household income was AUD\$182,481 (US: ~\$143000; $SD =$ AUD\$56,905 [US \$44700]), with the range between AUD\$52-320,000 (US \$41-250,000). Workers' occupations included plant operators, managers, train drivers, heavy machinery operators, and specialists.

Thematic analysis

Three themes were extracted, relating to experiences of negotiating multiple social roles (theme 1), health and wellbeing issues surrounding FIFO employment (theme 2), and social support needs (theme 3).

Theme I: “*I’m leading two lives*” – Managing multiple roles. FIFO workers typically conceived of their work and home lives as two discrete ‘worlds’, characterised by different lifestyles, roles and responsibilities (“*I’m leading two personalities and two lives*”; participant 13 [P13], worker, male [M], 38 years old [38y]). Commonly described through a contrast with the domestic ‘world,’ the FIFO ‘world’ was seen to be more rigidly structured, but allowing greater personal freedom, due to provision of assistance for everyday domestic activities and the absence of immediate family commitments (“*I don’t have to worry about*

cooking, cleaning etc.,” P11, worker, M, 34y). The demands of these two ‘worlds’ necessitated the adoption of different social roles and patterns of behavior:

At work I have enormous pressure to deal with so [I am] more aggressive and business-oriented. I need to maintain a bravado in a male-dominated industry. At home I have to be happy, supportive, caring, friendly and show empathy (P13, worker, M, 38y).

While away I can just be a bloke. [When I’m at] home I’m a family man (P22, worker, M, 47y).

Workers’ partners also described two ‘worlds,’ with the enhanced burden of domestic duties and responsibilities imposed when workers are away requiring greater self-sufficiency (“*[she’s] almost [a] pseudo single-parent, in certain circumstances,*” P26, worker, M, 52y).

My wife [says] “when he is away, I have to be strong and independent, service the car, change the light bulbs, but when he comes home I am weak, defenceless and dependent.” (P32, worker, M, did not report age)

Several workers experienced difficulties in negotiating the transition between their two ‘worlds’ when returning home from a shift, struggling to adjust to differences in the pace and requirements of domestic life:

The first few days [back home involve] trying to get up to speed with day to day life, and a different routine. (P19, worker, M, 42y)

It is sometimes difficult to readjust and function as an adult at home. By the time you have adjusted, it is time to fly out again. (P5, worker, M, 28y)

Similarly, some partners struggled to adjust their settled domestic routines to incorporate workers' return home, which was a potential source of tension:

When my partner comes home he feels like an outsider, as the kids and myself are in a routine that differs from him. He tries to change things into his way of doing, which creates havoc in the household. (P50, partner, female [F], 43y)

Participants described a process of renegotiating domestic roles and responsibilities upon workers' return, with some partners expressing frustration at FIFO workers for not assuming greater domestic responsibility:

I work 3-5 days a week [and] I get mad at [him] sometimes as he is home and not helping with household duties. (P43, partner, F, 36y)

Theme II: “The FIFO roster was the breaking point” – Impact on mental health and wellbeing. For most workers and partners, financial gain was the primary benefit of FIFO employment (“*I am only working this lifestyle to get ahead financially,*” P1, worker, M, 23y). Income was a source of stress for some however, as they felt they had limited autonomy over their employment and career, having become ‘trapped’ into undesirable working patterns by becoming accustomed to high income (“*I am locked into this lifestyle now,*” P57, partner, F, 57y):

The golden handcuffs go on. As people earn more, they spend more, and take on larger debt burdens, causing them to be trapped in the mining FIFO work lifestyle.

(P7, worker, M, 32y)

Indeed, many participants described adverse mental health and wellbeing effects of FIFO employment. For many, absence from family was particularly detrimental. Workers, particularly those with children, often felt that they were missing out on potentially significant family events (“*I have missed out on a lot of living and memories with family,*” P57, worker, M, 57y). Both workers and partners worried about the impact of the prolonged absence of one parent on children’s wellbeing and development (“*Will we have regrets later? Are they missing out on more than we realise, having their Dad work away?*” P42, partner, F, 34y). Workers also voiced concerns about being unable to respond to domestic emergencies while on-shift:

We only have two flights here every week, Monday and Thursday. Once that window to escape closes, you are trapped, and constantly hoping that nothing happens back home. (P18, worker, M, 42y)

Many participants felt that FIFO work put considerable strain on relationships with partners. Many spoke of physical separation leading to a sense of psychological distance, such that they felt “*disconnected*” (P51, partner, F, 44y), or were “*leading separate lives*” (P28, worker, M, 58y). Communication between workers and their partners was valued as a means of maintaining relationships, but distance was often felt to reduce the quality of such communication:

We talk every day, although I sometimes struggle to remain interested sometimes as she is not in front of me, merely a voice on the phone. It can be a struggle to bring up

subjects of conversation, as my day can be quite mundane yet her job as a teacher can have so many events happen that she wants to tell me about. (P6, worker, M, 29y)

[The FIFO lifestyle] adds strain when we are both tired. If we were home we would say nothing and hug but that's not possible through the telephone so it makes for awkward phone calls. (P37, partner, F, 27y)

Physical and psychological distance was reportedly a source of tension for many. Some participants reported growing suspicious of their partner's fidelity ("*[I worry that] he'll get bored and cheat on me,*" P41, partner, F, 33y), and others felt resentful towards their partners, for failing to fully acknowledge the perceived sacrifices each makes for the family unit:

Absence doesn't make the heart grow fonder. When things get tough at home, the resentment can sometimes creep in. (P46, partner, F, 38y)

I do resent the fact that he has a week off where he gets to do nothing. I am working full time and raising our small child, which means I have been unable to attend a number of training and workshop sessions for my career advancement due to childcare issues when he is at work. (P47, partner, F, 38y)

Perhaps consequently, many participants described deterioration or dissolution of relationships:

The FIFO roster was eventually the breaking point of our relationship. It's hard to expect a partner to be okay with a half time person in a relationship. (P10, worker, F, 34y)

Many workers described feelings of isolation and loneliness due to prolonged absence from their families, which for some, reportedly manifested in anxiety or depression:

My family feels safe when I'm home, I'm not lonely. I don't [have] anxiety when I'm home. (P24, worker, M, 55y)

Partners also described feelings of emotional strain:

My concerns would be the impact it's had on my mental state of mind at times. Raising three children on my own hasn't been easy. At times, you feel like you can't go on. (P40, partner, F, 33y)

The impact of FIFO on partners was an additional concern for many. Several workers reported feeling guilty for delegating everyday domestic duties and responsibilities to their partners (“*[It] puts stress on my wife. She's effectively a single mum for 2 weeks out of every three,*” P51, worker, M, 44y), while partners worried about workers' physical and mental health (“*Is he getting enough sleep, eating correctly, not drinking too much?*”, P43, partner, F, 36y).

Theme III: “Others don't understand how hard it is” – Social support needs. Workers and partners generally felt unsupported in negotiating health and wellbeing problems associated with FIFO employment. Many participants felt that people not involved in FIFO work lack sympathy and believe that the high income disqualifies any detrimental impacts:

It's difficult to help others understand how hard it is. [...] There's a perception that it's the perfect lifestyle so why should FIFO workers complain. (P13, worker, M, 38y)

Some participants were also unsympathetic to fellow FIFO workers, attributing causality for health and wellbeing problems to bad decision-making by workers:

[FIFO workers] need to think about what the job involves and stop blaming everyone else when things get tough. They weren't made to take the job. [They] need to [stand] back and look at themselves and reassess their situation. (P8, worker, M, 33y)

Most participants reported receiving most support from their partners (“*we communicate very well, we always support and encourage one another when times are tough, and know when to give that support,*” P40, partner, F, 33y). However, a mutual lack of shared experience meant that many workers felt that partners did not fully appreciate the impact of FIFO working, and conversely, many partners felt that workers did not fully appreciate the impact of an increased domestic burden:

Partners need to understand the stress workers are faced with, being away and then being home. (P27, worker, F, 55y)

I have tried talking to my partner about how I feel and he cannot see my problem.
(P56, partner, F, 56y)

Many workers and partners felt that FIFO employers were unsupportive, prioritising productivity over workers’ health and wellbeing, and offering only tokenistic support:

They don't always want to accept the responsibility. They preach all the stuff at inductions [but] when it comes to applying it they turn a blind eye. (P3, worker, M, 26y)

Employers spout about mental health, but are not lenient when concessions need to be made for people with mental health issues. (P43, partner, F, 36y)

Many workers were reluctant to seek help for health or wellbeing issues. Some reported not always being able to recognise when they required help (“*I had a stage where I was down and I didn't even know it,*” P4, worker, M, 27y), as mental health issues were common among workers (“*the struggles they face are what everyone else is feeling too.*” P6, worker, M, 29y). Some did not prioritise help-seeking, instead preferring to “*try to tough things out*” (P30, worker, M, 61y). Others reported a ‘macho’ culture in which help-seeking was viewed as a display of weakness, and felt that seeking help could cost them their job:

There is still some stigma attached to getting help due to the "manly" side of sucking it up and getting on with the job. Those that have issues either keep it to themselves or are labelled as not being able to cut it. (P26, worker, M, 52y)

There is a bit of concern among workers that this [support] service is tracked by the employer who uses it, and this may be a black mark against the person using the service. The fear of losing your job because of mental health concerns is still very relevant in mining. (P7, worker, M, 32y)

Workers felt that greater acknowledgement and empathy from management would encourage more help-seeking:

The stigmas still surrounding mental health issues in mining prevent people accessing services on site. If this culture was to improve and promote mental health as a major

health and safety topic in the workplace where people are comfortable talking about it openly, this would be the main way to improve support for workers. (P7, worker, M, 32y)

Other suggestions offered by workers for improved support from employers included providing dedicated support workers or a ‘buddy system’ for discussing health, greater choice of shift patterns, and facilitating close communication with family:

Adequate communication infrastructure should be available to the people on site so that partners can contact them at any time and vice versa. (P26, worker, M, 52y)

Site visits [for family members] need to be more readily available. It would help the families at home to see what their loved one goes away to. (P12, worker, F, 37y)

Several partners reported gaining social support through membership of specialist online social networks (“Facebook has FIFO wife pages, which offer great support and advice,” P50, partner, F, 43y). Connecting with others with similar experiences was felt to validate partners’ concerns (“it just gives you relief, knowing you’re not the only one having a crappy night or day,” P41, partner, F, 33y). Two partners, however, felt that online support networks should be administered and moderated by employers, having faced hostility from others in an informal FIFO social network (“I asked for some support ... [and] I was brutally attacked by other members. I quickly deleted myself from the group,” P59, partner, F, 58y).

Discussion

Enhancing positive mental health and wellbeing in the workplace is recognized by the WHO as a global research priority [21]. This study explored reflections among FIFO workers

and their partners on the mental health and wellbeing impact of FIFO work and strategies for mitigating these concerns. FIFO work is characterized by prolonged periods of working long daily hours away from home [2]. Workers commonly reported difficulty in adjusting between their on- and off-shift roles and responsibilities. Both workers and partners spoke of the development of psychological distance between workers and their partners and the strain this placed on relationships. Feelings of isolation and loneliness were prevalent, along with concerns of how FIFO work impacted communication between workers and their partners. Workers and partners alike typically felt unsupported. There was scepticism of, and reluctance to access, support provided by FIFO organizations, as well as a general feeling that the general public is unsympathetic towards FIFO workers and families. Strategies deemed useful for mitigating problems associated with FIFO work patterns included maintaining effective communication with partners, and receiving emotional and practical support from family members, neighbours, and other FIFO families. These findings provide a unique insight into the methods used by workers and partners to navigate the adverse impacts of FIFO and point to areas in which additional support may be needed.

Several aspects of the FIFO lifestyle were seen by our participants as potential threats to mental health or wellbeing. Some workers reported feeling ‘trapped’, such that they were unhappy in FIFO work but felt unable to take lower-paying alternative employment, having grown accustomed to the high income levels provided by FIFO. The implicit trade-off between financial constraints and job satisfaction is likely to compromise worker wellbeing. These findings are in line with previous FIFO work research findings that job satisfaction and perceived autonomy over career decisions are important determinants of workplace wellbeing [22,23]. Participants did not report the methods that they use to seek to overcome feelings of psychological entrapment. Nonetheless, theory proposes that people are likely to feel more intrinsically motivated in work that provides feelings of autonomy, competence, and

relatedness. Thus, we recommend that FIFO organizations seek to reduce these feelings of externally-regulated impositions through simple changes in the work climate to enhance feelings of self-determination, competence and a meaningful social connection to others arising from FIFO work [24].

Workers also reported difficulty in balancing the demands of FIFO working patterns with domestic commitments. Many reported being unable to achieve a work-life balance. This is often seen by workers to be the main disadvantage of FIFO work [9,10,22]. Our participants commonly conceived of ‘work’ and ‘life’ as ‘separate worlds’, characterised by different social roles, expectations, and patterns of behavior. While the perceptual ‘work’-‘life’ distinction is not specific to FIFO [e.g., 25], work-life transitional issues may perhaps be more pronounced, or have greater impact, among those working long hours or for prolonged periods away from home [26]. Partners also described challenges in adjusting their domestic routines according to the presence or absence of FIFO workers. Both workers and partners spoke of periods of disruption as they struggled to adjust to changes in established routines. Participants did not report how they overcame these challenges. Training in maintaining a comfortable work-life balance, and negotiating work-life transitions, may perhaps be useful for FIFO workers and their partners [27].

For many participants, geographical distance, and the regular and prolonged absence of FIFO workers led to psychological detachment of workers from their families. Similar experiences have been documented among other long-distance commuters, such as long-haul truckers and commercial fishermen [28]. This is likely to have multiple adverse effects on wellbeing. Many participants felt isolated and lonely, a common experience among FIFO workers [29]. Workers may also miss out on shared social experiences and feelings of companionship, which have been shown to buffer against the adverse impact of everyday life stressors [30]. Modern advancements in communication (e.g., video calls, social media) may

help reduce, but not fully alleviate, some of the concerns of geographical distance for FIFO workers and their partners. FIFO organizations might alleviate these feelings of loneliness and enhance social support for mental health by providing workers access to structured opportunities for social contact (e.g., community-based recreation groups).

Psychological distance also reportedly adversely affected the quality of relationships between workers and their partners, potentially leading to tension and distrust. Some participants were able to mitigate these impacts by maintaining close communication with partners. Indeed, effective communication is a characteristic of cohesive and well-functioning families [17]. Yet, some workers felt unable to effectively communicate with their partners, citing either a lack of shared experiences to discuss, or a lack of adequate on-site communication infrastructure. FIFO organizations should acknowledge the importance of regular communication for maintaining relationships by prioritizing the provision of access to timely and private contact between on-shift workers and their families. Alternatively, as some participants suggested, organizations might allow families to visit FIFO sites. While costly to administer, research suggests that on-site ‘family days’ provide partners with insight into workers’ roles and responsibilities, such that they are better able to understand and empathize with workers’ experiences and concerns [31]. Workers, too, report that such initiatives make them feel valued and supported by employers [31].

Many participants felt that they lacked social support, which made it difficult to negotiate the challenges posed by FIFO work. Previous research attests to the importance of social support for maintaining mental health, especially in situations of high stress [32,33]. Our participants perceived the public to be unsympathetic to FIFO workers and their families, and indeed, previous research has highlighted negative media portrayals of FIFO workers as greedy and undeserving [34]. While participants acknowledged that support was available, many were reluctant to access it, citing stigma around seeking support for mental health.

While stigma surrounding mental health and help-seeking is well-documented [35], this may be especially pronounced in the typically male-oriented FIFO domain [4], as norms of masculinity may further inhibit help-seeking for mental health [36]. Some partners reported having obtained support using online social networks. Previous research has shown the benefits of online support: while online forums should not be seen as a substitute for professional mental health services, 75% of users of one Norwegian forum found it easier to obtain support from an online forum than to discuss mental health problems in person [37]. User anonymity afforded by online forums can disinhibit help-seeking [38]. Conversely, however, anonymity can also facilitate antisocial behavior; two partners in our sample reported receiving abuse from members of an online forum. FIFO organisations should consider funding professionally-moderated online support networks for FIFO workers and their families, to minimise such problems. Professional involvement can also minimise the possibility that users become dependent on the support of other forum members, and withdraw from in-person contact [38]. Furthermore, the administration of social support networks by FIFO organisations, or professionals allied to FIFO organisations, would allow for the integration of structured activities conducive to mental health given the issues raised by FIFO workers. This is important, because participation in shared activities fosters a sense of control, belonging, self-esteem, and social support. These in turn can buffer against mental health problems, just as strongly as can the sharing of thoughts and feelings with others [33].

Many workers did not feel supported by employers and were sceptical of the motives of FIFO organisations, viewing them as ultimately unsympathetic to the mental health and wellbeing needs of workers. Available support was viewed as tokenistic, and most workers felt that their jobs would be under threat if they attempted to access support. This is problematic, as organisational support (both actual and perceived) is central for achieving health and wellbeing in the workplace [e.g., 39]. Cynicism towards workplace health policy

can arise from perceptions of senior management as lacking integrity, competence, or trustworthiness. Cynicism may be overcome by adopting a more participatory approach to the development and implementation of mental health support [40]. Employee involvement in workplace health policy development would allow for integration of workers' experience and knowledge, and may build trust between management and employees, so achieving greater acceptance among the FIFO workforce.

Study Limitations and Recommendations for Future Study Directions

Limitations of our study must be acknowledged. We collected data via questions probing domains that we deemed to be important to FIFO workers and their partners. These questions may have neglected other relevant areas of the FIFO experience relevant to health and wellbeing. Additionally, our survey design, whereby qualitative data were collected via online free-text responses, did not allow us to probe further into participants' responses. While our participants cited various adverse impacts of FIFO work on their health and wellbeing, we cannot identify the mechanisms underlying such impact. It is plausible, for example, that FIFO poses risks to mental health and wellbeing only among workers with low job satisfaction or perceived autonomy [22]. Additionally, while we sought to document participants' coping strategies, in some instances – for example, where describing feelings of psychological entrapment – no such strategies were cited. Semi-structured interviews, in which participants can be asked to expand upon their responses, may have produced a deeper insight into the issues we documented and future such research will be important for elaborating on these study findings. Additionally, our sample size was relatively small, and the generalisability of findings is unclear. There are likely unique mental health and wellbeing concerns for FIFO workers in different regions, roster lengths, and occupations [ADD CITE]. Our data may have been influenced by selection bias, such that those who were most motivated to respond to our survey were those with the most negative experiences. While the

veracity of our analysis was confirmed by a subsample of our participants, it is unclear whether the views documented among our sample are representative of FIFO workers, or their partners, more broadly. However, our aim was not to generate generalisable findings, but rather to document health and wellbeing experiences pertinent to FIFO workers and their partners. Indeed, ours is the first study to our knowledge to have explored the impact of FIFO on partners. Our findings highlight the need for the provision of support to both workers and their partners.

This study highlighted the mental health and wellbeing concerns raised by FIFO workers and their partners, and the strategies they used to address these concerns, while pointing to areas in which further support may be needed. FIFO organizations may need to acknowledge, in a manner more visible and transparent to employees, the importance of worker health and wellbeing, and offer unconditional support to address their concerns. While many felt unsupported, some workers and their partners were able to mitigate the potential adverse impact of FIFO by maintaining close communication with partners, and securing emotional and practical support from others. FIFO organizations, and their employees, may benefit from implementing workplace health and wellbeing programs co-designed by management and employees, to address these concerns.

Copyright and Permissions Declaration

The corresponding author (AL Rebar) has the right to grant on behalf of all authors and does grant on behalf of all authors, a worldwide licence to the Publishers and its licensees in perpetuity, in all forms, formats and media (whether known now or created in the future), to i) publish, reproduce, distribute, display and store the Contribution, ii) translate the Contribution into other languages, create adaptations, reprints, include within collections and create summaries, extracts and/or, abstracts of the Contribution, iii) create any other derivative work(s) based on the Contribution, iv) to exploit all subsidiary rights in the Contribution, v) the inclusion of electronic links from the Contribution to third party material where-ever it may be located; and, vi) licence any third party to do any or all of the above.

Author Contributions

KLA, CV, and AR helped conceive of the idea of the study design, collected the data, and provided intellectual content for the manuscript. BG conducted the data analysis, assisted in interpreting the findings, and provided intellectual content for the manuscript. All authors were involved in drafting the manuscript and revising it critically for important intellectual content and gave approval of the final version to be published.

Data Sharing Statement

Extra data is available by emailing the corresponding author (ALR).

Competing Interests Statement

The authors have no competing interests to declare.

References

- 1 Australian Bureau of Statistics. Fly-in Fly-out (FIFO) Workers. Canberra, Australia: Australian Institute of Health and Welfare 2014.
- 2 De Silva H, Johnson L, Wade K. Long distance commuters in Australia: A socio-economic and demographic profile. In: *Staff Papers, Paper given to the 34th Australasian Transport Research Forum*. 2011.
- 3 Australian Bureau of Statistics. Towns of the mining boom. Canberra, Australia: Australian Institute of Health and Welfare 2013.
- 4 Education and Health Standing Committee. The impact of FIFO work practices on mental health. Perth, WA, Australia: Legislative Assembly, Parliament of Western Australia 2015.
- 5 House of Representatives Standing Committee on Regional Australia. Cancer of the bush or salvation for our cities?: Fly-in, fly-out and drive-in, drive-out workforce practices in regional Australia. Canberra, Australia: Commonwealth of Australia 2013.
- 6 Solomon F, Katz E, Lovel R. Social dimensions of mining: Research, policy and practice challenges for the minerals industry in Australia. *Resour Policy* 2008;**33**:142–9. doi:10.1016/j.resourpol.2008.01.005
- 7 Misan GM, Rudnik. The pros and cons of long distance commuting: Comments from South Australian mining and resource workers. *J Econ Soc Policy* 2015;**17**:1:6–37.
- 8 The Chamber of Minerals and Energy: Western Australia. Fly In / Fly Out: A sustainability Perspective: A discussion of the triple bottom line impact of fly-in / fly-out operations in Western Australia. Perth, WA, Australia: The Chamber of Minerals and Energy 2005.
- 9 Torkington AM, Larkins S, Sen Gupta T. The psychosocial impacts of fly-in fly-out and drive-in drive-out mining on mining employees: A qualitative study. *Aust J Rural Health* 2011;**19**:135–41. doi:10.1111/j.1440-1584.2011.01205.x
- 10 Knox A, Warhurst C, Pocock B, *et al*. ‘You get really old, really quick’: Involuntary long hours in the mining industry. *J Ind Relat* 2011;**53**:13–29. doi:10.1177/0022185610390294
- 11 Joyce SJ, Tomlin SM, Somerford PJ, *et al*. Health behaviours and outcomes associated with fly-in fly-out and shift workers in Western Australia. *Intern Med J* 2013;**43**:440–4. doi:10.1111/j.1445-5994.2012.02885.x
- 12 Lester L, Watson J, Waters S, *et al*. The association of fly-in fly-out employment, family connectedness, parental presence and adolescent wellbeing. *J Child Fam Stud* 2016;**25**:3619–26. doi:10.1007/s10826-016-0512-8
- 13 Dittman CK, Henriquez A, Roxburgh N. When a non-resident worker is a non-resident parent: Investigating the family impact of fly-in, fly-out work practices in Australia. *J Child Fam Stud* 2016;**25**:2778–96. doi:10.1007/s10826-016-0437-2

- 14 Kaczmarek EA, Sibbel AM. The psychosocial well-being of children from Australian military and fly-in/fly-out (FIFO) mining families. *Community Work Fam* 2008;**11**:297–312. doi:10.1080/13668800801890129
- 15 McPhedran S, De Leo D. Suicide among miners in Queensland, Australia: A comparative analysis of demographics, psychiatric history, and stressful life events. *SAGE Open* 2013;**3**:2158244013511262. doi:10.1177/2158244013511262
- 16 Lester L, Waters S, Spears B, *et al.* Parenting adolescents: Developing strategies for FIFO parents. *J Child Fam Stud* 2015;**24**:3757–3766.
- 17 Taylor J, Simmonds J. Family stress and coping in the fly-in fly-out workforce. *Aust Community Psychol* 2009;**21**:23–36.
- 18 Braun V, Clarke V. Using thematic analysis in psychology. *Qual Res Psychol* 2006;**3**:77–101.
- 19 Glaser B, Strauss A. *The discovery of grounded theory: strategies for qualitative research*, Chicago: Aldin Pub. Co 1967.
- 20 Mays N, Pope C. Rigour and qualitative research. *BMJ* 1995;**311**:109–12.
- 21 World Health Organization. The World Health Report 2002: Reducing risks, promoting healthy life. Geneva, Switzerland: World Health Organization 2002.
- 22 Barclay MA, Harris J, Everingham J-A, *et al.* Geologists, FIFO work practices and job satisfaction. *Appl Earth Sci* 2016;**125**:221–230. doi:10.1080/03717453.2016.1239036
- 23 Ryan RM, Deci EL. Self-determination theory and the facilitation of intrinsic motivation, social development, and well-being. *Am Psychol* 2000;**55**:68–78.
- 24 Stone DN, Deci EL, Ryan RM. Beyond Talk: Creating autonomous motivation through self-determination theory. *J Gen Manag* 2009;**34**:75–91. doi:10.1177/030630700903400305
- 25 Frone MR, Russell M, Cooper ML. Antecedents and outcomes of work-family conflict: Testing a model of the work-family interface. *J Appl Psychol* 1992;**77**:65–78. doi:10.1037/0021-9010.77.1.65
- 26 Major VS, Klein KJ, Ehrhart MG. Work time, work interference with family, and psychological distress. *J Appl Psychol* 2002;**87**:427.
- 27 Wilson MG, Polzer-Debruyne A, Chen S, *et al.* Shift work interventions for reduced work-family conflict. *Empl Relat* 2007;**29**:162–77. doi:10.1108/01425450710719996
- 28 Zvonkovic AM, Solomon CR, Humble ÁM, *et al.* Family work and relationships: Lessons from families of men whose jobs require travel. *Fam Relat* 2005;**54**:411–22. doi:10.1111/j.1741-3729.2005.00327.x
- 29 Carter T, Kaczmarek E. An exploration of generation Y's experiences of offshore fly-in/fly-out (FIFO) employment. *Aust Community Psychol* 2009;**21**:52–66.

- 30 Kleiber DA, Hutchinson SL, Williams R. Leisure as a resource in transcending negative life events: Self-protection, self-restoration, and personal transformation. *Leis Sci* 2002;**24**:219–35. doi:10.1080/01490400252900167
- 31 Goater S, Goater R, Goater I, *et al.* This life of mine: Personal reflections on the well-being of the contracted fly-in, fly-out workforce. In: *Eighth AUSIMM Open Pit Operators' Conference*. 2012.
http://www.academia.edu/download/33505950/Goater_2012_This_life_of_mine_AUSIMM.pdf
- 32 Kessler RC, McLeod JD. Social support and mental health in community samples. In: Cohen S, Syme, SL, editors. *Social support and health*. San Diego, CA: Academic Press; 1985. p. 219–240.
- 33 Thoits PA. Mechanisms Linking social ties and support to physical and mental health. *J Health Soc Behav* 2011;**52**:145–61. doi:10.1177/0022146510395592
- 34 Pini B, McDonald P, Mayes R. Class contestations and Australia's resource boom: The emergence of the 'cashed-up bogan'. *Sociology* 2012;**46**:142–58. doi:10.1177/0038038511419194
- 35 Clement S, Schauman O, Graham T, *et al.* What is the impact of mental health-related stigma on help-seeking? A systematic review of quantitative and qualitative studies. *Psychol Med* 2015;**45**:11–27.
- 36 Vogel DL, Heimerdinger-Edwards SR, Hammer JH, *et al.* 'Boys don't cry': Examination of the links between endorsement of masculine norms, self-stigma, and help-seeking attitudes for men from diverse backgrounds. *J Couns Psychol* 2011;**58**:368–82. doi: 10.1037/a0023688
- 37 Kummervold PE, Gammon D, Bergvik S, *et al.* Social support in a wired world: Use of online mental health forums in Norway. *Nord J Psychiatry* 2002;**56**:59–65. doi:10.1080/08039480252803945
- 38 Barak A, Boniel-Nissim M, Suler J. Fostering empowerment in online support groups. *Comput Hum Behav* 2008;**24**:1867–83. doi:10.1016/j.chb.2008.02.004
- 39 Hadgraft NT, Brakenridge CL, LaMontagne AD, *et al.* Feasibility and acceptability of reducing workplace sitting time: a qualitative study with Australian office workers. *BMC Public Health* 2016;**16**:933. doi:10.1186/s12889-016-3611-y
- 40 Grawitch MJ, Gottschalk M, Munz DC. The path to a healthy workplace: A critical review linking healthy workplace practices, employee well-being, and organizational improvements. *Consult Psychol J Pract Res* 2006;**58**:129–47. doi: 10.1037/1065-9293.58.3.129